

IFW

DOCKET NO.: P05842
CLIENT NO.: NATI15-05842
Customer No.: 23990

PATENT



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Initial application of : SERGEI DRIZLIKH ET AL.
U.S. Serial No. : 10/821,491
Filed : April 9, 2004
For : SYSTEM AND METHOD FOR MINIMIZING INCREASES IN
VIA RESISTANCE BY APPLYING A NITROGEN PLASMA
AFTER A TITANIUM LINER DEPOSITION
Group No. : 2812
Examiner : Not Yet Assigned

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

CERTIFICATE OF MAILING BY FIRST CLASS MAIL

The undersigned hereby certifies that the following documents:

1. Postcard receipt;
2. Letter to Official Draftsman; and
3. Four (4) sheets of formal drawings.

relating to the above application, were deposited as "First Class Mail" with the United States Postal Service, addressed to, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on Sept 27, 2004.

Date: Sept 27, 2004

Kathy Hamilton
Mailer

Date: Sept. 24, 2004

William A. Munck
William A. Munck
Reg. No. 39,308

P.O. Drawer 800889
Dallas, Texas 75380
Phone: (972) 628-3600
Fax: (972) 628-3616
E-mail: wmunck@davismunck.com

DOCKET NO.: P05842

CLIENT NO.: NATI15-05842

Customer No.: 23990

PATENT



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of : Sergei Drizlikh et al.
United States Serial No. : 10/821,491
Filing Date: : April 9, 2004
Title : SYSTEM AND METHOD FOR MINIMIZING INCREASES
IN VIA RESISTANCE BY APPLYING A NITROGEN
PLASMA AFTER A TITANIUM LINER DEPOSITION
Group Art Unit : 2812
Examiner : Not Yet Assigned

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

LETTER TO OFFICIAL DRAFTSMAN

Transmitted herewith are four (4) sheets of formal drawings to be substituted for the informal drawings initially filed in the above-identified application for patent.

Respectfully submitted,

DAVIS MUNCK, P.C.

Date:

Sept. 24, 2004

William A. Munck

Registration No. 39,308

P.O. Drawer 800889
Dallas, Texas 75380
Tel: (972) 628-3600
Fax: (972) 628-3616
email: wmunck@davismunck.com